WHAT IS CLAIMED IS

Sub al

1. ~~An information processing apparatus~~ comprising:

a scrolling section which ~~changes~~ a display on a display screen from ~~a first~~ display region to a second display region by a scrolling process; and

a return section which returns the display to said first display region in response to a cancellation of the scrolling process by said ~~scrolling section.~~

Sub DI

2. The information processing apparatus as claimed in claim 1, wherein both said first display region and said second display region are displayed within a single window which is displayed on the display screen.

3. The information processing apparatus as claimed in claim 1, wherein said first display region is formed by one window within a multi-window which includes a plurality of windows, and said second display region is formed by another window within said multi-window.

4. The information processing apparatus as claimed in claim 1, which further comprises:
    a setting section which sets a mark indicating said first display region.

5. The information processing apparatus as claimed in claim 4, wherein said return section displays said first display region at a position where said mark is displayed on the display screen.

6. The information processing apparatus as claimed in claim 5, wherein said first display region is formed by a window within a multi-window which includes a plurality of windows, said second display region is formed by another window within said multi-window, and said return section displays said first display region at a position where said one window including the mark is displayed at a frontmost position on the display screen.

7. The information processing apparatus as claimed in claim 4, wherein said setting section sets the mark at a position of a cursor in said first display region.

8.   A display control method for
controlling display of information on a display
screen, comprising the steps of:

    (a)   changing a display on a display screen
5   from a first display region to a second display
region by a scrolling process; and

    (b)   returning the display to said first
display region in response to a cancellation of the
scrolling process.

10

9.   The display control method as claimed
15   in claim 8, wherein both said first display region
and said second display region are displayed within
a single window which is displayed on the display
screen.

20

10.   The display control method as claimed
in claim 8, wherein said first display region is
25   formed by one window within a multi-window which
includes a plurality of windows, and said second
display region is formed by another window within
said multi-window.

30

11.   The display control method as claimed
in claim 8, which further comprises the steps of:
35   (c)   setting a mark indicating said first
display region.

12. The display control method as claimed
in claim 11, wherein said step (b) displays said
first display region at a position where said mark
is displayed on the display screen.

5

13. The display control method as claimed
10 in claim 12, wherein said first display region is
formed by a window within a multi-window which
includes a plurality of windows, said second display
region is formed by another window within said
multi-window, and said step (b) displays said first
15 display region at a position where said one window
including the mark is displayed at a frontmost
position on the display screen.

20

14. The display control method as claimed
in claim 11, wherein said step (c) sets the mark at
a position of a cursor in said first display region.

25

15. A computer-readable storage medium
30 which stores a program for causing a computer to
control display of information on a display screen,
said program comprising the steps of:
    (a) changing a display on a display screen
from a first display region to a second display
35 region by a scrolling process; and
    (b) returning the display to said first
display region in response to a cancellation of the

~~scrolling process.~~

5

16. The computer-readable storage medium as claimed in claim 15, wherein both said first display region and said second display region are displayed within a single window which is displayed
10 on the display screen.

15

17. The computer-readable storage medium as claimed in claim 15, wherein said first display region is formed by one window within a multi-window which includes a plurality of windows, and said second display region is formed by another window
20 within said multi-window.

25

18. ~~The computer-readable storage medium~~ as claimed in claim 15, wherein the program further comprises the steps of:
    (c) setting a mark indicating said first display region.

30

19. The computer-readable storage medium
35 as claimed in claim 18, wherein said step (b) displays said first display region at a position ~~where said mark is displayed~~ on the display screen.

20. ~~The computer-readable storage medium~~
as claimed in claim 19, wherein said first display
region is formed by a window within a multi-window
which includes a plurality of windows, said second
5 display region is formed by another window within
said multi-window, and said step (b) displays said
first display region at a position where said one
window including the mark is displayed at a
frontmost position on the display screen.

10

21. The computer-readable storage medium
15 as claimed in claim 18, wherein said step (c) sets
the mark at a position of a cursor in said first
display region.

20 Add
    ace   Add
              B4

25

30

35